

Expandable Container House All products are from our working partners in China. Product meet USA standards		Singh Group Inc			
		Suppliers of container homes for disasters and emergencies			
		Expandable 2 and 4 Bedroom Containers Homes			
Quotation					
Item	Picture	Size/unit	Quantity	Unit Price	Total Price
Expandable house 2 bedrooms (can be configured to Studio)		house size L 19ft * W20.6ft*H 8.0ft 390 sq feet Weight: About 3 tons detail information please check Material list in second page	100-1000 units	US\$	US\$
Expandable house 4 bedrooms (Can be configured to 3 bedroom)		house size L 38.7ft * W26.6ft*H 8.1ft 1020 sq feet Weight: About 6 tons detail information please check Material list in second page	100-1000 units	US\$	US\$
Floor	  	Wooden flooring colors can be customized	Available	included	included
Bathroom		Toilet - with hose, with mirror, sink, Shower - with top spray + bottom water + hand spray water. Water pipe - including water pipe welded in place, connected to the inner wire elbow.	Available	included	included

cupboard		two styles for choose	Available	included	included
1	The above price is based on FOB CHINA USD price delivery time 30-45 days				
2	Quantity shipped per shipment will be based on how many units Maui, Hawaii port can handle per shipment				
3	Warrant 5 years on materials and parts				
Optional Items at extra cost: Bed with mattress, Dining Table with Chairs, Sofa, Electric or Gas Kitchen Stove, Bedside table etc.					
SEE PRODUCT SEPECIFICATIONS BELOW					

Expandable Container House Specifications

Frame structure	Middle top beam	T2.0mm thick,Q235B galvanized rectangular pipe
	Bottom sill	T3.0mm thick,Q235B profile
	End side beam	T1.5mm thick,Q235B galvanized rectangular pipe
	center pillar	T1.5mm thick,Q235B galvanized rectangular pipe
	Side wall frame	T1.5mm thick,Q235B galvanized rectangular pipe
	subframe	T1.5mm thick,Q235B galvanized rectangular pipe
	Hanging head	T5mm thick,Q235B shaped corner piece
	Folding hinge	40mm long galvanized hinge
	Overall frame protection paint	Electrostatic spray
Roof	Topside strake	50mm thick EPS flame retardant board
	Side top plate	50mm thick EPS flame retardant board
	Internal ceiling	V200 inner ceiling
Wall Panels	Exterior wall panel	T65mm thick EPS flame retardant board
	Interior siding	T50mm thick EPS flame retardant board
Floor	Floor	wood flooring
Electric System	Electrical wiring is installed in strict accordance with moisture-proof specifications, and all electrical products must comply with CE certification. Connect the circuit according to the circuit engineering specification, indoor: 6 PCS ceiling lights,6 PCS sockets, 3 PCS air conditioning sockets,1 PCS leakage protector.	
Entry door	Double glass door	
Interior door	High quality steel door	
Bathroom door and fixtures	Titanium-magnesium alloy door/ Toilet, washbasin, shower room, mirror, shower and other hardware accessories, Water pipe - including the water pipe that has been welded in place, connected to the inner wire elbow	
Window	Broken bridge frame, double toughened glass with open fan	
Cabinet	Kitchen cabinets with stainless steel sink	